TOURING



You never know what lies around the next corner.
Which is why our Touring tires makes sure you're ready for anything.



Velocità

UNIDIRECTIONAL

IA-151

RACING | WEAR LIFE | HANDLING

SIZE	LI/SI index	R.W. inch	O.D. mm	S.W. mm	N.S.D. mm	MAX LOAD kg	MAX LOAD lbs.	INFLATION bar	INFLATION psi
165/70R13	79S	5,0	562	169	7,5	437	965	2,5	36
175/70R13	82H	5,0	576	179	7,5	475	1045	2,5	36
185/70R13	86H	5,5	590	187	7,8	530	1170	2,5	36
185/65R14	86H	5,5	595	191	7,8	530	1170	2,5	36
215/45ZR17	91W	7,0	624	215	7,8	615	1355	3,0	44
225/40ZR18	92W	8,0	635	235	7,8	630	1390	3,0	44



Evolution XTR

NON DIRECTIONAL

IA-105

CITY | WEAR LIFE | COMFORT | LOW NOISE | SAVE FUEL

SIZE	LI/SI index	R.W. inch	O.D. mm	S.W. mm	N.S.D. mm	MAX LOAD kg	MAX LOAD lbs.	INFLATION bar	INFLATION psi
165/80R13	83S	4,5	596	173	7,7	487	1075	2,4	35
175/70R13	82S	5,0	576	180	8,0	475	1045	2,5	36
185/70R14	88S	5,5	618	193	8,0	560	1235	2,5	36
185/65R15	88S	5,5	626	189	8,0	560	1235	2,5	36
195/65R15	91S	6,0	638	203	8,0	615	1355	2,5	36
205/65R15	94H	6,0	646	207	8,0	670	1475	2,5	36

Evolution SP

High comfort driving on dry roads, low rolling resistance and improve adherence on wet surface in special compound.
The tire is designed to maximum grip with wider tread pattern and engineered for long wear life.



NON DIRECTIONAL

IA-104

CITY | RAIN & WET | HANDLING | LOW NOISE | SAVE FUEL

Technical Review

SIZE	LI/SI index	R.W. inch	O.D. mm	S.W. mm	N.S.D. mm	MAX LOAD kg	MAX LOAD lbs.	INFLATION bar	INFLATION psi
165/65R13	77T	5,0	542	172	7,6	412	910	2,5	36
165/60R13	77H	5,0	542	172	7,6	412	910	2,5	36
175/60R13	77H	5,0	538	178	7,9	412	910	2,5	36
185/70R13	86H	5,5	588	192	7,9	530	1170	2,5	36
165/60R14	75H	5,0	558	169	7,5	387	855	2,5	36
165/55R14	72H	5,0	538	163	6,4	355	780	2,5	36
175/80R14	88S	5,0	637	177	7,9	560	1235	2,4	35
175/70R14	84H	5,0	602	176	7,9	500	1102	2,5	36
175/65R14	82H	5,0	584	177	7,9	475	1050	2,5	36
185/80R14	91S	5,0	653	184	7,9	615	1355	2,4	35
185/70R14	88H	5,5	615	190	8,2	560	1235	2,5	36
185/65R14	86H	5,5	596	190	7,9	530	1170	2,5	36
195/70R14	91H	6,0	630	202	8,2	615	1355	2,5	36
205/70R14	95H	6,0	644	212	7,9	690	1520	2,5	36
205/60R14	88H	6,0	602	208	7,9	560	1235	2,5	36
185/65R15	88H	5,5	621	189	7,9	560	1235	2,5	36
185/60R15	84H	5,5	603	189	7,9	500	1100	2,5	36
185/55R15	82V	6,0	584	196	7,9	475	1050	2,5	36
195/60R15	88H	6,0	614	203	7,9	560	1235	2,5	36
195/55R15	85V	6,0	595	198	7,9	515	1135	2,5	36
195/50R15	82V	6,0	577	198	7,9	475	1047	2,5	36
205/70R15	96H	6,0	669	208	7,9	710	1565	2,5	36
205/60R15	91H	6,0	627	211	8,0	615	1355	2,5	36
225/70R15	100H	6,5	696	232	7,9	800	1765	2,5	36
205/55R16	91V	6,5	630	215	8,1	615	1355	2,5	36
215/60R16	95V	6,5	662	223	8,1	690	1520	2,5	36
225/60R16	98V	6,5	676	228	8,1	750	1655	2,5	36
225/55R16	95V	7,0	654	233	8,1	690	1520	2,5	36





Next generation EVOLUTION 2 is designed to provides improvements in ride comfort and handling because of uniform dan perfect road contact

Evolution 2

NON DIRECTIONAL

IA-102

CITY | WEAR LIFE | HANDLING | LOW NOISE | SAVE FUEL

SIZE	LI/SI index	R.W. inch	O.D. mm	S.W. mm	N.S.D. mm	MAX LOAD kg	MAX LOAD lbs.	INFLATION bar	INFLATION psi
165/80R13	83S	4,5	593	163	7,5	487	1075	2,4	35
185/60R14	82H	5,5	578	185	8,0	475	1045	2,5	36
205/65R15	94H	6,0	647	201	8,0	670	1475	2,5	36



Evolution SP2

NON DIRECTIONAL

IA-108

CITY | RAIN & WET | HANDLING | LOW NOISE | SAVE FUEL

SIZE	LI/SI index	R.W. inch	O.D. mm	S.W. mm	N.S.D. mm	MAX LOAD kg	MAX LOAD lbs.	INFLATION bar	INFLATION psi
165/80R13	83S	4,5	594	165	7,2	487	1075	2,4	35
185/70R14	88H	5,5	616	191	7,9	560	1235	2,5	36

Evolution



NON DIRECTIONAL

IA-101

CITY | WEAR LIFE | RAIN & WET | LOW NOISE | SAVE FUEL | S2WR2 READY

SIZE	LI/SI index	R.W. inch	O.D. mm	S.W. mm	N.S.D. mm	MAX LOAD kg	MAX LOAD lbs.	INFLATION bar	INFLATION psi
155/70R12	73S	4,5	523	153	6,8	365	805	3,0	44
175/70R13	82H	5,0	577	175	8,0	475	1050	2,5	36
185/70R14	88H	5,5	615	190	8,2	560	1235	2,5	36
195/70R14	91H	6,0	630	202	8,2	615	1355	2,5	36

Evotechno

Our new realease, a non-directional pattern. The new EVOTECHO suitable for your passanger car provides the comfortable driving and economical. The tire has proven graduated international standard and fully save to your vehicle.



NON DIRECTIONAL

IA-110

CITY | RAIN & WET | WEAR LIFE | COMFORT | LOW NOISE | SAVE FUEL

Technical Review

SIZE	LI/SI index	R.W. inch	O.D. mm	S.W. mm	N.S.D. mm	MAX LOAD kg	MAX LOAD lbs.	INFLATION bar	INFLATION psi
165/80R13	83S	4,5	594	164	6,9	487	1075	2,4	35
165/70R13	79S	5,0	560	169	6,8	437	965	2,5	36
165/65R13	77S	5,0	544	167	6,9	412	908	2,5	36
175/70R13	82H	5,0	576	175	6,8	475	1045	2,5	36
175/60R13	77T	5,0	538	173	7,1	412	908	2,5	36
185/70R13	86H	5,5	592	188	7,4	530	1168	2,5	36
185/65R13	84H	5,5	571	187	7,3	500	1102	2,4	35
155/55R14	69H	5,0	529	160	6,4	325	717	2,5	36
165/60R14	75T	5,0	558	168	7,1	387	853	2,5	36
165/55R14	72H	5,0	538	163	6,4	355	780	2,5	36
175/70R14	84T	5,0	602	173	6,8	500	1102	2,5	36
175/65R14	82H	5,0	583	177	7,1	475	1047	2,5	36
185/70R14	88H	5,5	616	186	7,3	560	1235	2,5	36
185/65R14	86H	5,5	596	187	7,3	530	1170	2,5	36
185/60R14	82H	5,5	578	185	7,4	475	1045	2,5	36
195/70R14	91H	6,0	630	198	7,3	615	1355	2,5	36
205/70R14	95H	6,0	644	207	7,4	690	1521	2,5	36
185/65R15	88H	5,5	621	187	7,4	560	1235	2,5	36
185/60R15	84H	5,5	603	182	7,4	500	1100	2,5	36
185/55R15	82H	6,0	585	189	7,4	475	1047	2,5	36
195/65R15	91H	6,0	636	196	7,4	615	1356	2,5	36
195/60R15	88H	6,0	615	196	7,4	560	1235	2,5	36
195/55R15	85H	6,0	595	193	7,3	515	1135	2,5	36
195/50R15	82H	6,0	577	192	7,4	475	1047	2,5	36
205/70R15	96H	6,0	669	207	7,5	710	1565	2,5	36
205/65R15	94H	6,0	648	202	7,4	670	1477	2,5	36
205/60R15	91H	6,0	627	207	7,5	615	1355	2,5	36
225/70R15	100H	6,5	697	225	7,5	800	1765	2,5	36
195/60R16	89H	6,0	640	198	7,3	580	1279	2,5	36
195/55R16	87H	6,0	622	196	7,3	545	1202	2,5	36
205/65R16	95H	6,0	672	204	7,6	690	1521	2,5	36
205/55R16	91V	6,5	632	214	7,6	615	1356	2,5	36
215/65R16	98H	6,5	690	222	7,6	750	1653	2,5	36
215/60R16	95H	6,5	664	216	7,6	690	1521	2,5	36
225/70R16	103S	6,5	722	225	7,4	875	1929	2,5	36
215/60R17	96H	6,5	690	214	7,6	710	1565	2,5	36
215/55R18	95H	7,0	690	217	7,6	690	1521	2,5	36